

آموزش کار با تابع `mysqli_next_result()` در PHP

دستور استفاده از تابع `mysqli_next_result()` در PHP

```
bool mysqli_next_result ( mysqli $link );
```

شرح کاربرد تابع `mysqli_next_result()` در PHP

تابع `mysqli_next_result()` در PHP و مجموعه سطرهای خروجی بعدی که قرار است از دیتابیس خوانده شده و خروجی بعدی `mysqli_multi_query()` باشد را آماده می‌سازد.

خروجی تابع `mysqli_next_result()` در PHP

تابع `mysqli_next_result()` در PHP در صورت موفقیت مقدار بولی `true` و در غیر این صورت `false` را بازگردانی می‌کند.

پارامترهای ارسالی به تابع `mysqli_next_result()` در PHP

شماره ی پارامتر	پارامتر مربوطه و شرح کاربرد آن
1	Connection Connection ای که به عنوان پارامتر به تابع ارسال شده و برای دسترسی به دیتابیس مورد استفاده قرار می‌گیرد.

مثال کاربردی

```
<?php
$connection_mysql = mysqli_connect("localhost","user","password","db");
if (mysqli_connect_errno($connection_mysql)){
    echo "Failed to connect to MySQL: " . mysqli_connect_error();
}
$sql = "SELECT name FROM emp;SELECT Country FROM emp";
if (mysqli_multi_query($connection_mysql,$sql)){
    do{
        if ($result = mysqli_store_result($connection_mysql)){
```

```
while ($row = mysqli_fetch_row($result)){
    print $row[0];
    print "\n";
}
}while (mysqli_next_result($connection_mysql));
}
mysqli_close($connection_mysql);
?>
```